

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L1 | 0 | ("(voter near2 (record or information or data or registration) with database) and @ad < "20001103").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/22 16:28 |
| L2 | 30 | (voter near2 (record or information or data or registration) with database) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L3 | 4 | (voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L4 | 0 | (voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L5 | 2 | (voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L6 | 2 | (voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L7 | 0 | voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L8 | 0 | voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L9 | 3 | voter and ballot and (return\$3 with envelope) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| L10 | 2 | (scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L11 | 260 | (scan with digital) and (survey or ballot) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L12 | 0 | (scan with digital) same database same (survey or ballot) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L13 | 62 | (scan with digital) and database and (survey or ballot) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L14 | 6 | (scan with digital) same database and (survey or ballot) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L15 | 2 | "20020091673" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L16 | 3 | "5454105".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L17 | 2 | "6250548".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L18 | 0 | (scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L19 | 0 | (scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| L20 | 21 | (scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L21 | 8 | ((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L22 | 49 | (scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L23 | 260 | (scan with digital) and (survey or ballot) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L24 | 3 | voter and ballot and (return\$3 with envelope) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L25 | 2 | "20020091673" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L26 | 3 | "5454105".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L27 | 8 | ((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L28 | 4 | (voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L29 | 2 | (scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| L30 | 62 | (scan with digital) and database and (survey or ballot) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L31 | 2 | "6250548".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L32 | 21 | (scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L33 | 0 | voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L34 | 49 | (scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L35 | 0 | (scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L36 | 0 | voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L37 | 0 | (scan with digital) same database same (survey or ballot) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L38 | 0 | (scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L39 | 6 | (scan with digital) same database and (survey or ballot) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| L40 | 0 | ("(voter near2 (record or information or data or registration) with database) and @ad < "20001103").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/03/22 16:28 |
| L41 | 2 | "20020091673" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L42 | 0 | (voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L43 | 2 | (voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L44 | 30 | (voter near2 (record or information or data or registration) with database) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| L45 | 2 | (voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/03/22 16:28 |
| S1 | 0 | ("(voter near2 (record or information or data or registration) with database) and @ad < "20001103").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/22 10:45 |
| S2 | 30 | (voter near2 (record or information or data or registration) with database) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/20 14:24 |
| S3 | 4 | (voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/20 14:28 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S4 | 0 | (voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/20 14:29 |
| S5 | 2 | (voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/20 17:40 |
| S6 | 2 | (voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/20 17:41 |
| S7 | 0 | voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/20 17:42 |
| S8 | 0 | voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/20 17:43 |
| S9 | 3 | voter and ballot and (return\$3 with envelope) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/21 15:33 |
| S10 | 2 | (scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/20 17:58 |
| S11 | 254 | (scan with digital) and (survey or ballot) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/20 17:59 |
| S12 | 0 | (scan with digital) same database same (survey or ballot) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/20 18:00 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S13 | 58 | (scan with digital) and database and (survey or ballot) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/20 18:00 |
| S14 | 6 | (scan with digital) same database and (survey or ballot) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/20 18:00 |
| S15 | 2 | "20020091673" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/22 18:00 |
| S16 | 3 | "5454105".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/21 15:34 |
| S17 | 2 | "6250548".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/22 16:35 |
| S19 | 0 | (scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 12:29 |
| S20 | 0 | (scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 12:29 |
| S21 | 21 | (scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 12:31 |
| S22 | 8 | ((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 12:33 |
| S23 | 49 | (scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 18:56 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| S24 | 2 | "20020091673" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 18:57 |
| S25 | 0 | ("(voter near2 (record or information or data or registration) with database) and @ad < "20001103").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/13 20:04 |
| S26 | 30 | (voter near2 (record or information or data or registration) with database) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |
| S27 | 4 | (voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |
| S28 | 0 | (voter near2 (record or information or data or registration) with database) and @ad < "20001103" and (((generat\$4 or print or creat\$4) with voter with ballot) same (position or issue)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |
| S29 | 2 | (voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |
| S30 | 2 | (voter near2 (record or information or data or registration) with database) and @ad < "20001103" and ((generat\$4 or print or creat\$4) with voter with ballot) and (position or issue) and ballot | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |
| S31 | 0 | voter and ballot and anonymous and (return\$3 adj envelope) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |
| S32 | 0 | voter and ballot and anonymous and (return\$3 with envelope) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S33 | 3 | voter and ballot and (return\$3 with envelope) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |
| S34 | 2 | (scan with digital) and (survey or ballot) and (return\$3 with envelope) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |
| S35 | 255 | (scan with digital) and (survey or ballot) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |
| S36 | 0 | (scan with digital) same database same (survey or ballot) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |
| S37 | 59 | (scan with digital) and database and (survey or ballot) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |
| S38 | 6 | (scan with digital) same database and (survey or ballot) and @ad < "20001103" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |
| S39 | 2 | "20020091673" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |
| S40 | 3 | "5454105".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |
| S41 | 2 | "6250548".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |
| S42 | 0 | (scan\$4 with image with retriev\$4 with (change or modify) with sav\$3 with stor\$3) and @ad < "20001222" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S43 | 0 | (scan\$4 with image with retriev\$4 with (change or modify) with sav\$3) and @ad < "20001222" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |
| S44 | 21 | (scan\$4 with image with retriev\$4 with (change or modify)) and @ad < "20001222" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |
| S45 | 8 | ((scan\$4 with image) with (retriev\$4 near2 image) with (change or modify)) and @ad < "20001222" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |
| S46 | 49 | (scan\$4 near2 image) and ((retriev\$4 near2 image) with (change or modify)) and @ad < "20001222" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/13 20:04 |